

## GENERAL INFORMATION

**Product name :** Crucible tongs, straight model**Description :** Made of stainless steel

## TECHNICAL DATA

reference	l(mm)	pcs/pack
CRTS-150-002	150	2
CRTS-200-002	200	2
CRTS-250-002	250	2
CRTS-300-002	300	2
CRTS-400-002	400	2
CRTS-500-002	500	2

## PACKAGING AND LOGISTICS

reference	vol (l)	kg	TARIC	GTIN
CRTS-150-002	0,288	0,145	82032000	08434868015999
CRTS-200-002	0,1175	0,175	82032000	08434868016002
CRTS-250-002	0,2175	0,255	82032000	08434868016019
CRTS-300-002	1,11	0,282	82032000	08434868016026
CRTS-400-002	2,07	0,476	82032000	08434868016033
CRTS-500-002	2,7	0,558	82032000	08434868016040

## PRODUCT PHOTO



## MORE TECHNICAL DATA

Min. opening Ø

(CRTM-150) : 20mm

(CRTM-200) : 25mm

(CRTM-250) : 30mm

(CRTM-300) : 32mm

(CRTM-400) : 32mm

(CRTM-500) : 32mm

INSULAB SL

## INFORMACIÓN GENERAL

**Nombre del producto :** Pinzas para crisoles rectas**Descripción :** De acero inoxidable

## DATOS TÉCNICOS

referencia	l (mm)	unidades por ref.
CRTS-150-002	150	2
CRTS-200-002	200	2
CRTS-250-002	250	2
CRTS-300-002	300	2
CRTS-400-002	400	2
CRTS-500-002	500	2

## EMBALAJE Y DATOS LOGÍSTICOS

referencia	vol (l)	kg	TARIC	GTIN
CRTS-150-002	0,288	0,145	82032000	08434868015999
CRTS-200-002	0,1175	0,175	82032000	08434868016002
CRTS-250-002	0,2175	0,255	82032000	08434868016019
CRTS-300-002	1,11	0,282	82032000	08434868016026
CRTS-400-002	2,07	0,476	82032000	08434868016033
CRTS-500-002	2,7	0,558	82032000	08434868016040

## FOTO DEL PRODUCTO



## OTROS DATOS TÉCNICOS

Ø Apertura min.

(CRTM-150) : 20mm

(CRTM-200) : 25mm

(CRTM-250) : 30mm

(CRTM-300) : 32mm

(CRTM-400) : 32mm

(CRTM-500) : 32mm

INSULAB SL

## INFORMATIONS GÉNÉRALES

**Nom produit : Pince à creuset, modèle droit****Description :** En acier inoxydable

## DONNÉES TECHNIQUES

référence	long. (mm)	unités par ref.
CRTS-150-002	150	2
CRTS-200-002	200	2
CRTS-250-002	250	2
CRTS-300-002	300	2
CRTS-400-002	400	2
CRTS-500-002	500	2

## EMBALLAGE ET LOGISTIQUE

référence	vol (l)	kg	TARIC	GTIN
CRTS-150-002	0,288	0,145	82032000	08434868015999
CRTS-200-002	0,1175	0,175	82032000	08434868016002
CRTS-250-002	0,2175	0,255	82032000	08434868016019
CRTS-300-002	1,11	0,282	82032000	08434868016026
CRTS-400-002	2,07	0,476	82032000	08434868016033
CRTS-500-002	2,7	0,558	82032000	08434868016040

## PHOTO PRODUIT



## MORE TECHNICAL DATA

Ø Ouverture min.

(CRTM-150) : 20mm

(CRTM-200) : 25mm

(CRTM-250) : 30mm

(CRTM-300) : 32mm

(CRTM-400) : 32mm

(CRTM-500) : 32mm

INSULAB SL

## INFORMAZIONE GENERALE

**Nome del prodotto :** Pinze per crogioli dritte**Descrizione :** In acciaio inox

## DATI TECNICI

referenza	L (mm)	unità per ref.
CRTS-150-002	150	2
CRTS-200-002	200	2
CRTS-250-002	250	2
CRTS-300-002	300	2
CRTS-400-002	400	2
CRTS-500-002	500	2

## IMBALLAGGIO E DATI LOGISTICI

referenza	vol (l)	kg	TARIC	GTIN
CRTS-150-002	0,288	0,145	82032000	08434868015999
CRTS-200-002	0,1175	0,175	82032000	08434868016002
CRTS-250-002	0,2175	0,255	82032000	08434868016019
CRTS-300-002	1,11	0,282	82032000	08434868016026
CRTS-400-002	2,07	0,476	82032000	08434868016033
CRTS-500-002	2,7	0,558	82032000	08434868016040

## FOTO DEL PRODOTTO



## PIÙ DATI TECNICI

Ø Apertura min.

(CRTM-150) : 20mm

(CRTM-200) : 25mm

(CRTM-250) : 30mm

(CRTM-300) : 32mm

(CRTM-400) : 32mm

(CRTM-500) : 32mm

INSULAB SL