



TECHNICAL DATA SHEET

According to Good Manufacturing Practice (cGMP) standards

GRADE: F1093
 NAME: QUALITATIVE FILTER PAPER. VERY FAST FILTRATION
 DATE: February 2020

This document is to verify that the designated product has been manufactured in conformance with applicable Current Good Manufacturing Practice (cGMP) standards.

The quality control data given in this document represent the quality of the released lot. These values are the basis for the official release of this material. The Quality Department for quality control of filters has measured the values and assures that they are within the limits that are established in the current specification for this material. The values stated do not represent any internal or external specification for this particular material. This product has passed external-house tests and thus meets Chmlab Group stringent quality control standards. The following is checked on a regular basis:

Filter Paper Characterization

PACKAGING: Boxes of 100 units

FORMAT: Circles (Ø mm): 21, 25, 42.5, 47, 50, 55, 70, 80, 90, 100, 110, 125, 150, 185, 240, 270, 320
 Sheets (mm): 580x580

TECHNICAL SPECIFICATIONS:

Material Cellulose Pulp 186.1673
 Basis weight..... 80 g/m²
 Thickness:..... 170 µm
 Filtration speed (Herzberg)..... 60 s/100 ml
 Wet bursting strength:..... ≥ 30 kPa
 Retention range 7-10 µm
 Ash content: <0.1 %

Other Specifications

Features	Very fast filtration. Wet-strengthened qualitative filter papers
Applications	Used for general laboratory filtration in universities, schools, hospital, research laboratories, food and pharmaceutical laboratories. Common filtration.